

MATERIAL SAFETY DATA SHEET



Product name: **SMP Flex Sausage Adhesive**

Reviewed date: June 2011

Reviewed by MC

1. Identification of substance

Substance: **SMP Flex Sausage Adhesive**
Supplier: Granwax Products Limited
West Street
Riddings, Alfreton
Derbyshire DE55 4EW
Telephone: 01773 541177 Fax: 01773 541429
This revision: June 2011

2. Hazards identification

Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.

3. Composition/Data on components

A mixture of substances listed below with nonhazardous additions.

No Hazardous components

4. First aid measures

Skin exposure: Generally the product does not irritate the skin

Eye splashes: If the material is splashed into the eye, wash the affected eye with clean running water for at least 15 minutes. Seek medical advice.

Swallowing (Ingestion): If material is accidentally swallowed, do not make patient vomit, seek medical advice. This information should be taken with the patient when seeking medical advice.

Inhalation; Move patient to fresh air. If patient is unconscious, place in the recovery position and seek medical help immediately. Do not give patient anything to drink.

5. Fire fighting measures

No special requirements.

MATERIAL SAFETY DATA SHEET

Product name: **SMP Flex Sausage Adhesive**

Reviewed date: June 2011

Reviewed by MC

6. Accidental release measures

Spillages should be contained with a non-combustible absorbent material and collected for disposal in accordance with the local regulations. Do not place in sealed containers.
Spillages should not be allowed to run to surface waters. PPE must be worn.

7. Handling & storage

Store in a cool, well ventilated area.
Keep container tightly sealed
All chemical preparations should be stored securely where they cannot be interfered with or used by unauthorised persons.

8. Exposure controls and personal protection

This product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Use tightly sealed protective goggle.
Wear Butyl Hand protection.
Wear suitable overalls.

Hygiene:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work
Avoid contact with eyes and skin
Do not inhale gases/fumes/vapours

9. Physical and chemical properties

Appearance:	Viscous Beige	Odour	Characteristic
pH:	Not Applicable	Boiling point / range:	999 deg.C
Melting point / range	Undetermined	Flash point:	234 deg C
Flammability	Non Flammable	Autoflammability:	Not applicable
Explosive properties	Not applicable	Oxidising properties:	none
Vapour pressure	Not applicable	Relative density:	Approx. 1.58g/cm3
Solubility	not miscible	Partition coefficient: n-octanol / water	Not determined
Solvent Content	0%	Solids Content	100%

MATERIAL SAFETY DATA SHEET

Product name: **SMP Flex Sausage Adhesive**

Reviewed date: June 2011

Reviewed by MC

10. Stability and reactivity

Product generally stable

11. Toxicological information

No toxicological effects. Not classified according to the calculation method of the General EU Classification Guidelines.

12. Ecological information

Class WKG1 Slight water hazard.

13. Disposal considerations

Dispose in accordance to local non hazardous waste regulations

14. Transport information

Not classified as a hazard

15. Regulatory information

Not classified as hazardous

16. Other information

No other safety information is applicable to the use of this preparation for its intended purpose