



GRANWAX
Products Limited

MATERIAL SAFETY DATA SHEET

Product name: **EZee Maintenance Oil**

Reviewed date: September 2009

Reviewed by MC

1. Identification of substance

Substance: **EZee Maintenance Oil**
Supplier: Granwax Products Limited
West Street
Riddings, Alfreton
Derbyshire. DE55 4EW.
Telephone: 01773 541177 Fax:01773 541429.
This revision: September 2009

2. Composition/Data on components

Composition and classification of potentially hazardous components.

<u>Component</u>	<u>CAS No</u>	<u>Concentration range</u>	<u>Classification</u>
White spirit	64742-82-1	Approx. 30-60%	Flammable, Harmful
Aliphatic hydrocarbon	64742-82-8	Approx.10-30%	Highly Flammable, Harmful

Occupational exposure limits:

White spirit Occupational Exposure Standard 600 mg/m³ 8 hour TWA
From HSE Doc. EH 40/2007, calculated by the Reciprocal Calculation Procedure.

Note: This white spirit is NOT classified as a carcinogen under 67/548/EEC and the CHIP regulations 1996.

3. Hazards identification

This preparation is classified as HIGHLY FLAMMABLE and HARMFUL, the following risk phrases apply;

- R11 – Highly Flammable Liquid
- R65 – Harmful: may cause lung damage if swallowed.

4. First aid measures

Skin exposure: If soreness or irritation occurs as the result of skin exposure, wash the affected area with clean running water for at least 15 minutes. If symptoms persist seek medical advice.

Eye splashes: If the material is splashed into the eye, wash the affected eye with clean running water for at least 15 minutes. Seek medical advice.

Swallowing (ingestion): If material is accidentally swallowed, do not make patient vomit, seek medical advice. This information should be taken with the patient when seeking medical advice.

Inhalation; Move patient to fresh air. If patient is unconscious, place in the recovery position and seek medical help immediately.



GRANWAX
Products Limited

MATERIAL SAFETY DATA SHEET

Product name: EZee Maintenance Oil

Reviewed date: September 2009

5. Fire fighting measures

Use carbon dioxide, dry powder or foam extinguishants only. Do not use water.
Fire will produce dense black smoke containing hazardous combustion products.
Wear self-contained breathing apparatus.
May produce toxic fumes.

6. Accidental release measures

Remove all potential sources of ignition.
Spillages should be contained with a non-combustible adsorbent material and collected for disposal in accordance with the local regulations.
Spillages should not be allowed to run to surface waters.
Spillages should not be allowed to enter basements or pits where flammable vapours may collect and form an explosive atmosphere.

7. Handling & storage

Store away from sources of heat or ignition. All chemical preparations should be stored securely where they cannot be interfered with or used by unauthorised persons.

8. Exposure controls & personal protection

As with any solvent based product, prolonged exposure of the skin may cause irritation and dermatitis. Rubber or latex gloves should be used to protect the hands during use and suitable work-wear or overalls should be used to protect clothing and skin.
As with all solvent based products, approved eye protection should be used when handling this material.

9. Physical and chemical properties

Appearance:	Brown liquid	Odour:	characteristic
pH:	Not applicable	Boiling point / range	No data
Melting point / range	Not applicable	Flash point	below 21.0 C
Flammability	Highly Flammable	Autoflammability	no data
Explosive properties	None	Oxidising properties	None
.Vapour density	greater than 1	Relative density	Approx. SG 0.88
.Solubility	Insoluble		
.Partition coefficient: n-octanol / water	no data		



GRANWAX
Products Limited

MATERIAL SAFETY DATA SHEET

Product name: EZee Maintenance Oil

Reviewed date: September 2009

10. Stability and reactivity

This preparation is stable and generally unreactive.
Avoid contact with strong oxidising agents and heat.

11. Toxicological information

The product is of moderate general toxicity.
This preparation may cause irritation to the eyes and mucous membranes. As with all solvent based preparations it may be irritant to the skin. Any person with a history of skin sensitisation should take extra care when handling this preparation. Reducing the periods of skin exposure to any substance or preparation will reduce the risk of sensitization or other irritation occurring.

12. Ecological information

Slightly toxic to aquatic organisms, but in most systems is unlikely to persist for sufficient time to pose a significant hazard.
The exact ecological effects of this product are unknown but the solvent present is likely to be a marine pollutant.

13. Disposal considerations

All waste produced by industry or commerce is subject to the Duty Of Care Of Waste Regulations. This product is classified as Special Waste. Any surplus or waste arising from the normal use of this preparation must be disposed of in accordance with the Special Waste regulations. Empty containers should be treated as if still containing highly flammable material.

14. Transport information

UN : 1263
IMDG Code Class : 3.2
Packing group : II
ADR : 3
Proper Shipping Name : PAINT or PAINT RELATED MATERIAL



GRANWAX
Products Limited

MATERIAL SAFETY DATA SHEET

Product Name: EZee Maintenance Oil

Reviewed date: September 2009

15. Regulatory information

Labels for this preparation must carry a HIGHLY FLAMMABLE symbol and the following Risk and Safety Phrases:

Contains White Spirit EC No. 265-185-4

R11 - Highly Flammable liquid

R65 - Harmful: may cause lung damage if swallowed.

S2 - Keep out of the reach of children.

S43- In case of fire use dry powder extinguishant. Never use water.

S24/25 - Avoid contact with skin and eyes.

S51 - Use only in well ventilated areas.

S62 - If swallowed do not induce vomiting. Seek medical advice immediately and show the container or label

This substance is classified as a substance hazardous to health within the definition given in Regulation 2 of the COSHH Regulations. An assessment of the risks to health caused by the use of this substance and the other requirements of the COSHH regulations must therefore be made by any employer or self employed person using this preparation at work.

16. Other information

No other safety information is applicable to the use of this preparation for its intended purpose.

MATERIAL SAFETY DATA SHEET

